

Your Apria Sleep Therapy

User Guide Philips Respironics DreamStation 2





Thank You for Choosing Apria As Your Home Medical Equipment Provider

You are receiving this because your doctor has diagnosed you with sleep apnea and prescribed a Positive Airway Pressure device for you to use while sleeping. Positive Airway Pressure therapy — also known as PAP therapy or sleep therapy — helps millions of users feel more energized and refreshed by increasing the quality of their sleep.

We are excited to accompany you on your journey to a better night's sleep!



Ready to Get Started? Choose What Works Best for You



Self-Directed Care

Use the simple and intuitive user guides and online support to set up your new PAP device and self-fit the mask. You can start therapy the night your equipment is delivered!



Virtual Care

Initiate therapy and training through a telehealth appointment with an Apria Respiratory Therapist.



In-Person Care

If you prefer in-person training, you can make an appointment at your local Apria branch to participate in a training session with an Apria Respiratory Therapist.

Having trouble? Stop and get help from an Apria Sleep Coach. Get one-on-one sleep support and education to get your therapy progress off to a good start. Call an Apria Sleep Coach at 877.265.2426.

Overview

Your doctor has prescribed PAP therapy because you have been diagnosed with sleep apnea. Sleep apnea occurs when a person repeatedly stops breathing for 10 or more seconds at a time while sleeping. These events may occur hundreds of times throughout the night, causing oxygen levels in the blood to drop, putting stress on the heart. If left untreated, sleep apnea is linked to many other serious conditions like high blood pressure, diabetes, heart disease, and stroke.

This guide contains easy step-by-step instructions for using your PAP equipment and is designed to help you benefit from therapy as soon as your equipment arrives. Please visit **Apria.com/Sleep** for all of this information and more.

> You can also scan this code with your smartphone:



Your Device and Settings

Your CPAP machine has already been programmed with the settings your physician prescribed.



Get Started

Start your therapy tonight so you can feel refreshed in the morning.













To set up the device:

- Supply power Power cord can be routed in either direction. White light ring indicates power.
- Remove tank Press indent on lid to release tank. Slide tank away from heater plate.
- 3 Remove lid and fill tank with water Lift latch on lid and pull up. Fill to line with distilled water.
- Reattach tank Align lid hooks with tank tabs and snap into place. On flat surface, slide tank onto heater plate until it clicks.
- 5 Connect tubing Slide onto air outlet port. If using heated tube, align pin connections and push until there is a click.
- 6 Press Therapy button to start Blue light ring indicates therapy is running.

See the mask user quide for detailed information.

Find product documents, user guides, safety information, and other patient education material by going to Apria.com/documents

or, point your smartphone's camera at this QR code to load the material:




If you need additional documents and don't have access to a smartphone or computer, give us a call at 888.492.7742.

Get Familiar With Your PAP Equipment

If your doctor prescribed a specific mask and size, follow the fitting instructions provided by the manufacturer, then proceed to Step 3. If you received a mask with cushions of multiple sizes, follow the instructions below and on the next page.

There is a mask cushion currently attached to the frame of your mask. This size fits most patients. Once you begin therapy, if your mask is leaking or feels uncomfortable, try removing the existing cushion and replacing it with a different size cushion. If you are between sizes, it is best to use the larger cushion. Use the fitting template (for nasal mask and full-face mask) and/or the manufacturer's instructions included with your mask for help.






Nasal Mask

- 1 Release the lower strap from the frame of the mask. Make sure the logo on the headgear is facing outward. While holding the mask against your face, pull the headgear over your head.
- 2 Position the lower straps so they both sit below the ears and adjust so they are snug.
- 3 Adjust the fastening tabs on the upper straps until the mask feels even and stable. Do not overtighten. Reattach the fastening tabs.
- 4 Repeat Step 3 with the lower straps. Reattach the fastening tabs.
- 5 Connect the hose to the front of the mask. Ensure that the nasal mask fits securely over your nose. It is normal to feel some air escaping through the small air vents on the elbow of the hose.

Please refer to the manufacturer's instructions for additional information on topics, such as:

- · How to properly remove your mask.
- · How to remove and change the mask cushion.
- · How to adjust the length of the mask straps.













Nasal Pillow Mask

- 1 Hold the pillows away from your nose with the left (L) and right (R) indicators correctly facing toward you.
- 2 Guide the nasal pillows into your nostrils.
- 3 Pull the headgear over your head by holding the bottom strap and stretching it around the back of your head.
- Adjust the top and bottom straps. The top strap should fit comfortably on the top of vour head.
- 5 Ensure that the nasal pillows fit securely into your nostrils, with both pillows positioned upright. If not, move the mask away from your face and then place it back again.
- 6 To achieve a comfortable fit, adjust the straps. Spread the straps apart to loosen, or draw them closer together to tighten.
- 7 If the headgear comes with a buckle, adjust the headgear by pulling the headgear through the buckle to fix mask leaks. Adjust only enough for a comfortable seal and do not overtighten. The headgear may need to be adjusted as it can stretch over time.















Full-Face Mask

- 1 Twist and pull both magnetic clips away from the frame. With the logo on the headgear facing outward, hold the mask against your face and pull the headgear over your head.
- 2 Bring the lower straps below your ears and attach the magnetic clip to the frame.
- 3 Undo the fastening tabs on the upper headgear straps. Pull the straps evenly until the mask is stable and positioned as shown in the illustrations. Reattach the fastening tabs.
- 4 Undo the fastening tabs on the lower headgear straps. Pull the straps evenly until the mask sits firmly on the chin and reattach the fastening tabs.
- 5 Connect the air tubing from your device to the elbow. Attach the elbow to the mask by pressing the side buttons and pushing the elbow into the mask.
- To achieve a comfortable fit, readjust the straps. Evenly apply only enough tension so that a seal is achieved.

Please refer to the manufacturer's instructions for additional information on topics, such as:

- · How to properly remove your mask.
- · How to remove and change the mask cushion.
- · How to adjust the length of the mask straps.



Heated Elements


Heated humidifier

The heated humidifier is used to control the desired temperature and humidification of the air that is delivered to you from your PAP device.

Heated tubing

Heated tubing is designed to maintain the temperature of the humidified air as it passes through the tube, to improve comfort. Keeping the air temperature in the tube at a constant level ensures that rainout is avoided, even if the temperature in the room drops during the night.

- 1 To connect heated tubing (shown), line up the pin connectors on the heated tube with the bottom of the air outlet port on the device. The clips at the end of the tubing should be aligned to the sides of the port and will click into place.
- 2 Connect the tubing to the mask. For proper placement and positioning, refer to the instructions that came with your mask.



3 Attach the headgear to the mask, if necessary. Refer to the instructions that came with your headgear.

Using Oxygen With Heated Tubing


- Attach heated tubing circuit to the device outlet (shown on previous page).
- 2 Attach pressure valve to the other end of the heated wire tubing (the opposite end of the pressure valve connection and the end closest to the mask). See diagram of pressure valve placement on page 10.
- 3 Attach the oxygen tee adapter to the open end of the pressure valve.
- 4 Attach the oxygen tee adapter to mask hose.



IMPORTANT SAFETY NOTE: If you are using prescribed oxygen with your PAP device, be sure to observe all the fire and safety rules associated with the use of oxygen. Follow this sequence of steps when turning your oxygen on and off. 1. Always turn your PAP machine ON before turning ON the oxygen flow from your oxygen source. 2. Always turn OFF the oxygen flow from your oxygen source before turning OFF the PAP machine.

Using Oxygen With Non-Heated Tubing

- 1 Attach the pressure valve to the machine outlet.
- 2 Attach the oxygen tee adapter to the open end of the pressure valve.
- 3 Attach the large-bore PAP tubing to the small end of the oxygen tee adapter.
- 4 Attach the other end of the large-bore tubing to the mask hose.



IMPORTANT: When using supplemental oxygen, you must attach a pressure valve device in all cases. If you use oxygen and did not receive a pressure valve and/or oxygen tee adapter with your PAP device, please contact Apria.

Start Your PAP Machine

To start therapy:

- 1 Ensure power is supplied to the device, as indicated by a white ring around the therapy button.
- 2 Put on your mask assembly. Refer to the instructions supplied with the mask. A small amount of mask leak is normal and acceptable. Correct large amount of mask leaks or eye irritation by adjusting your mask headgear. Tips for managing mask leaks are provided on the next page.
- 3 Press the Therapy button on top of the device to turn on airflow and begin therapy. The Therapy button ring will illuminate blue.

NOTE: If your homecare provider has enabled the Automatic On feature, the device will automatically turn the airflow on when you put on your mask and breathe.

4 Press the Therapy button again to turn off the therapy. The Therapy button ring will illuminate white.

NOTE: If your homecare provider has enabled the Automatic Off feature, the device will automatically turn the airflow off when you take off your mask and the device recognizes inactivity.



Helpful Tips

For Nasal and Full-Face Masks

- · To resolve leaks at the upper part of the mask, adjust the upper headgear straps.
- · For leaks at the lower part, adjust the lower headgear straps.
- · When adjusting straps, loosen or tighten both the left and right straps so that adjustments are made evenly.
- · Adjust only enough for a comfortable seal.
- · The upper strap adjustment is the key to seal and comfort.
- · Do not overtighten the lower straps. They mainly serve to keep the cushion in position.
- · If mask continues to leak after tightening, cushion may need to be changed.

NOTE: With a nasal mask, it is important to breathe in and out through your nose only.

For Nasal Pillow Masks

- · Position the pillow cushion tips into your nostrils so they sit comfortably under your nose without any gaps. Pull the mask away from your face, then place it back to get a comfortable fit.
- · Adjust the side straps evenly by pulling downward; the mask should feel secure and comfortable against your face. Do not overtighten.
- · If leaks persist, try the next larger set of cushions.
- · If the pillow is not staying in place in your nostrils, try the next smaller cushion size.

Handwashing Technique

Thorough handwashing must be done prior to all procedures. Contaminated, dirty hands are one of the most common sources of infection.

- 1) Wet your hands thoroughly with warm water.
- 2 Use soap.
- Scrub hands for 20 seconds using a rotary motion and friction. Wash:
 - · Back and palm of each hand
 - · Between all fingers
 - · Fingernails
 - Need a timer? Hum the "Happy Birthday" song from beginning to end twice.
- 4 Rinse your hands under the running water.
- 5 Dry on clean towel or with a paper towel.

For additional good health habits, visit our patient education section on Apria.com.

Get Comfortable With Your Therapy

Use your PAP therapy during all hours of sleep, including during naps. Some people may need up to one or two weeks to adjust to PAP therapy, but the benefits are well worth it.

Ways to help you adjust:

- · Try watching TV or reading while wearing your mask and headgear.
- · Turn on the PAP device for short periods of time while wearing your mask to get used to the pressure.
- · Use your equipment every night.
- · Keep the device turned on for as long as you can tolerate, building up each night until you have reached at least 4 hours per night.
- · Keep practicing until you are using PAP therapy during all hours of sleep, including during naps.



Track Your **Progress**

You can track your progress by registering for Philips Respironics DreamMapper at www.philips.com/mydreammapper. You can track your previous night's results, create goals, and get feedback. You can also access other helpful information, like tips to help you stay motivated in adhering to your PAP therapy.



Get Support

Do you have a dry nose or throat, or a runny nose?

Increase the temperature or humidity level.

Are there droplets of water or condensation inside your nose, mask, or tubing?

Decrease the temperature or humidity level.

Is the air pressure making it difficult for you to fall asleep?

Tap the Ramp Plus icon, then tap the - or + icons until the desired starting pressure is displayed.

Do you have sore or dry eyes?

Adjust your mask or headgear. It may need to be repositioned. Refer to the instructions provided in the manufacturer's user guide for your mask. Also review Steps 2 and 3 in this guide.

Are you experiencing redness on your face where the mask touches the skin?

Your mask may be too tight. Try adjusting your headgear. If redness persists, contact Apria.

Do you have nasal, sinus, or ear pain?

You may have a sinus or ear infection. Stop using your machine and contact your doctor.

This information is intended for your general knowledge only and is not a substitute for medical advice or treatment for a specific medical condition. Should you have any healthcare-related questions, please consult your doctor.

Therapy on Display

The UI on this device allows you to adjust the device settings and view information about your therapy. The UI consists of the display screen with touch capability.

While the device is delivering therapy, the pressure setting is displayed. You can also view and adjust humidification, heated tube temperature, and RAMP PLUS settings.





*** all** Last Session **Usage Hours** 0:00 Days 4hrs+ 0/21 AHI 0.0 Mask Fit Good Fit Settings

- 1 Therapy pressure (cmH2O)
- 2 Adjustable humidifier setting (if available)
- 3 Heated tube temperature (if available)
- 4 RAMP PLUS (Ramp+)
- 5 Ramp indicator
- 6 Ramp indicator
- 7 Oximetry connection

Therapy Off display

A summary of your therapy displays on the UI when therapy is turned off. You can view additional details about your therapy or perform a mask fit check. From here you can tap "Settings" to adjust Comfort and Device settings, if enabled by your provider.

Cleaning Your PAP Equipment

- 1 Oil from your face and ingredients in facial products can cause the PAP mask cushions to wear down and decrease the useful life of the mask. Get in the habit of wiping down your mask each day, especially the areas that come in contact with your skin. Clean your mask and headgear weekly, according to the instructions in the mask user guide.
- Wash the water chamber and air tubing in warm water, using a mild detergent. Hand wash only. Do not wash in a dishwasher, as it can deteriorate the plastic.
- 3 When needed, wipe the exterior of the machine with a dry cloth.
- 4 Your device has an automatic air filter reminder. Refer to the manufacturers's instructions for information on how to replace the filter.

For cleaning your mask, refer to the mask user guide for detailed instructions.

Replace Supplies Regularly

Replace your sleep supplies regularly. This helps to ensure a good mask seal and reduce buildup of bacteria, viruses, and allergens.¹ Ordering fresh, clean supplies to replace your old items helps improve the comfort of your mask and maintains the overall effectiveness of your therapy.

Recommended Replacement Schedule	
Twice Monthly	Once Monthly
 Nasal mask cushions and nasal pillows 	Full-face mask cushionsDisposable filters
Every 3 Months	Every 6 Months
Mask frameTubing (standard or heated)	Headgear and chin strapsHumidifier water chamberNon-disposable filters

Please note that the frequency of resupply and your insurance's coverage of supplies will be governed by your insurance plan and may differ from the schedule provided above.

1. Horowitz A. Horowitz S. Chun C. CPAP Masks are Sources of Microbial Contamination, SleepHealth Centers, Div. of Sleep Medicine, Brigham and Women's Hospital, Harvard Medical School, Boston. APSS Poster; 2009.

Convenient **Ordering Options**

When ordering fresh supplies through Apria, shipping is always free, and we verify and bill your insurance for you.

Enroll in Supplies on Schedule

Get the right supplies, right on time. Save time and eliminate the hassle of placing orders with our PAP supplies subscription program. Enroll once at Apria.com/SOS or with a sleep supplies specialist at 877.265.2426, option 2. Then rest easy.

Order Online

Apria.com/PAPresupply — Register for the PAP Patient Portal with your Apria Patient ID and place an order when you need new supplies.

ApriaDirect.com — Order supplies anytime on the retail (non-insurance) website.

Call Our Automated System

Dial 800.436.5657 to use Apria's automated phone system, available 24/7, to place your order.

Speak With an Apria Specialist

Dial 877.265.2426 to order supplies with an Apria sleep supplies specialist. Monday through Friday: 7 a.m. - 8 p.m. CT or Saturday: 7 a.m. - 6 p.m. CT.

NOTE:

If you decide not to participate in Supplies on Schedule, you will receive convenient, automated calls from Apria to remind you that it is time to order replacement sleep supplies.

*Patients with certain payors, such as Medicare, Medicaid, Managed Medicaid, or TRICARE, are not eligible for Supplies on Schedule.





Our Sleep Coaches Are Here for You!

As part of the Apria Sleep Care™ program, you have access to our Sleep Coaches. They'll work to motivate and coach you by providing personalized care as you acclimate to CPAP therapy.

It's not uncommon to experience discomfort for the first several days, but you can rest assured you will receive the support you need to achieve a better night's sleep and minimize the impact of your sleep apnea.

Our Sleep Coaches can:

- · Coach you on obstructive sleep apnea.
- · Motivate you to continue CPAP usage.
- · Provide education on your device and mask.
- · Offer additional support when needed.

An Apria Sleep Coach is available to keep an eye on your therapy usage and contact you if they see any issues.

- · A Sleep Coach will call or text you to follow-up on your experience with your new CPAP device and mask.
- · Your caller ID will display 877.265.2426 or Apria Healthcare.

Remember to use your PAP therapy anytime you sleep, including during naps. Compliant use is often defined as at least 4 hours per night for at least 70% of a given time period.

Contact Apria's Sleep Specialists with any questions about your PAP device, mask, or therapy at **877.265.2426**.



We also encourage you to take an active role in managing your sleep therapy. You can download the manufacturer's mobile app to track usage, set personal goals, watch informational videos, and stay motivated to incorporate CPAP into your sleep routine.

SAFETY GUIDELINES

Surviving a Fire in Your Home

Take the time now to prepare — it can save lives!

An Ounce of Protection...

Smoke Alarms

- Install a smoke alarm outside of each sleeping area and on each additional level of your home.
- Install smoke alarms INSIDE sleeping areas if people sleep with their doors closed.
- Test smoke alarms once a month by pressing test buttons
- If an alarm fails the test or starts making beeping noises, replace batteries immediately.
- · Replace ALL smoke alarm batteries at least once a year.

Fire Extinguishers

- Consider purchasing one or more fire extinguishers to keep in your home.
- Read the instructions to understand how your fire extinguisher works, and make sure all family members understand how to use it.
- Read the instructions to find out how to check if your extinguisher is in working order, and how frequently it needs to be checked.

Escape Ladders

- · Consider installing escape ladders for upstairs rooms.
- · Learn how to use your escape ladder.
- · Store ladders close to windows.

Flashlights

- Keep flashlights throughout your house and make sure everyone knows where they are located.
- · Check batteries regularly.

Planning Can Prevent Panic

Escape Routes

- Figure out at least two ways for escaping for every room in your home.
- Everyone living in your home should be familiar with these escape routes.

Practice

- · At least twice a year, practice using your escape plans.
- Practice crawling because you may need to escape by crawling under smoke, where the freshest air will be.

Meeting Place

- Decide on a location where everyone will meet outside your home after escaping from a fire.
- A meeting place is important so that you can quickly see if everyone has escaped.



If a Fire Occurs...

Making Your Escape

- If there is smoke or fire in one escape route, use another route.
- If there is no way to avoid smoke, remember to stay low and crawl under the smoke, where the freshest air will be.
- If you want to escape by opening a closed door, FIRST check to see if the door feels warm before opening it. If it is warm, do NOT open the door. Instead, use another route.

Blocked Escape Routes

If all of your escape routes are blocked by smoke, heat, or flames:

- · Stay in the room and keep any doors closed.
- Keep out smoke by piling rugs, blankets, or pillows along the bottom of any doors.
- If there is a phone in the room, call 911 and tell them where you are.
- · Signal out a window for help using a brightly colored cloth, sheet, towel, or flashlight.
- Stay as close to the floor as possible, near a window or door.

After Escaping

- Go to a neighbor's house and call 911 as soon as possible.
- NEVER go back inside a burning house. Once you're outside, stay outside!
- · When firefighters arrive, tell them if you think anyone is still inside.

SAFETY GUIDELINES

Tips to Avoid Falling

Reduce your chances of falling by making home improvements and changing some habits.

Look Around Your Home

Floors

- Keep the areas where you walk free from clutter, electrical and telephone cords, and other small objects that might be easily overlooked.
- Secure loose rugs and mats with carpet tape or attach non-slip backing.
- For tile or wooden floors, avoid wax or use nonskid wax.
- Stairs should have flat surfaces. Repair holes or tears in carpeting and make sure it is well attached.
- Eliminate raised thresholds if possible or make them highly visible.

Lighting

- Make sure it's easy to turn on a light BEFORE entering every room in your home.
- · Keep night lights turned on in hallways, bedrooms, and bathrooms.
- Make sure you can easily turn on a light while in bed, before getting up.
- · Place flashlights in convenient locations throughout your home, and check their batteries regularly.
- Light switches should be available at both the top and bottom of all stairs.
- Stairway lighting should be bright enough to clearly see all steps.

Bathrooms

- Tub and shower floors should have non-skid surfaces (strips or mats).
- · Consider installing grab bars inside the bath or shower areas and next to the toilet.
- · Consider installing a raised toilet seat.

Kitchen

- Frequently used items should be kept on lower shelves or other places that are easy to reach.
- You should have a sturdy step stool that is easy to use, preferably with a handrail. Do NOT stand on a chair to reach anything.

Stairs

· Sturdy handrails should be installed in all stairways and kept in good repair.

Outside Your Home

- Steps should have flat surfaces and be kept in good repair.
- All steps should have handrails, preferably on both sides of the steps.
- For better traction, steps can be painted with a mixture of sand and paint.
- During the winter, keep all entrances and sidewalks clear of snow and ice.
- · All entrances should be well lit.
- · Consider installing ramps (with handrails).

Reconsider Personal Habits

- When walking, stay alert to unexpected obstacles cords, furniture, pets, toys, etc.
- · Avoid rushing to answer phones or the door.
- Take time to make sure your balance is steady before sitting up or standing.
- Wear shoes that are supportive and snug fitting, with low heels and non-slippery soles.
- · Don't walk around with only socks on your feet.
- If carrying packages, make sure your view isn't blocked and that you have a hand free for opening doors, holding onto railings, or steadying your balance.
- · Keep alert for uneven, broken or slippery pavement, sidewalks, and ramps.
- · Don't rush to cross streets, especially if wet or icy.
- · Consider using a cane or walker.
- Find out if your medications might make you feel dizzy, drowsy, or unsteady.
- If you live alone, keep in regular contact with friends, family, or neighbors.

For Emergencies

- Keep emergency phone numbers posted where they can be easily seen. Consider whether they will be visible if you fall
- · Make sure you can easily reach a phone when in bed.

If You Fall

- 1. Call 911 and other emergency contacts.
- 2. Stay warm by covering up with a blanket, coat, towel, rug, or whatever you can reach.
- Consult a doctor even if you don't think you've been seriously hurt. Falling may indicate problems with medications or be a symptom of illness or a condition that needs treatment.

Patient's Rights and Responsibilities

Patient/Client Bill of Rights

As a patient/client of Apria Healthcare, you have the rights which include, but are not limited to, the following:

- 1. Be given information about your rights for receiving homecare services.
- 2. Receive a timely response from Apria Healthcare regarding your request for homecare services.
- 3. Be given information about Apria Healthcare policies, procedures, and charges for services.
- 4. Choose your homecare providers.
- 5. Be given appropriate and professional quality homecare services without discrimination against your race, color, creed, religion, sex, national origin, sexual preference, handicap, or age.
- 6. Be treated with courtesy and respect by all who provide homecare services to you.
- 7. Be free from physical and mental abuse and/or neglect.
- 8. Be given proper identification by name and title of everyone who provides homecare services to you.
- 9. Be given the necessary information regarding treatment and choices concerning rental or purchase options for durable medical equipment so you will be able to give informed consent for your service prior to the start of any service.
- 10. Be given complete and current information concerning your diagnosis, treatment, alternatives, risks, and prognosis as required by your physician's legal duty to disclose in terms and language you can reasonably be expected to understand.
- 11. A plan of service that will be developed to meet your unique service needs.
- 12. Participate in the development of your plan of care/service.
- 13. Be given an assessment and update of your developed plan of care/service.
- 14. Be given data privacy and confidentiality.
- 15. Review your clinical record at your request.
- 16. Be given information regarding anticipated transfer of your homecare to another healthcare facility and/or termination of homecare service to you.
- 17. Voice grievance with and/or suggest change in homecare services and/or staff without being threatened, restrained, and discriminated against.
- 18. Refuse treatment within the confines of the law.
- 19. Be given information concerning the consequences of refusing treatment.
- 20. Have an advance directive for medical care, such as a living will or the designation of a surrogate decision maker, respected to the extent provided by law.
- 21. Participate in the consideration of ethical issues that arise in your care.

The Patient's Responsibilities

Apria Healthcare and its personnel have the right to expect from you, our patient, your relatives and friends, reasonable behavior that takes into consideration the nature of your illness or predicament. These responsibilities include, but are not limited to, the following:

- 1. Give accurate and complete health information concerning your past illnesses, hospitalization, medications, allergies, and other pertinent items.
- 2. Assist in developing and maintaining a safe environment.
- 3. Inform Apria Healthcare when you will not be able to keep a homecare visit.
- 4. Participate in the development and update of your homecare plan of service/treatment.
- 5. Adhere to your developed/updated homecare plan of service/treatment.
- 6. Request further information concerning anything you do not understand.
- 7. Contact your doctor whenever you notice any unusual feelings or sensations during your plan of service/treatment.
- 8. Contact your doctor whenever you notice any change in your condition.
- 9. Contact Apria Healthcare whenever your insurance company or plan changes.
- 10. Contact Apria Healthcare whenever you have an equipment problem.
- 11. Contact Apria Healthcare whenever you have received a change in your homecare prescriptions.
- 12. Contact Apria Healthcare whenever you are to be hospitalized.
- 13. Give information regarding concerns and problems you have to an Apria Healthcare staff member.
- 14. Contact Apria Healthcare prior to any change of address.
- Contact Apria Healthcare if you acquire an infectious disease during the time you are receiving services and/or care from Apria Healthcare, except where exempted by law.

Medicare DMEPOS Beneficiary Statement

DMEPOS suppliers have the option to disclose the following statement to satisfy the requirement outlined in Supplier Standard 16 in lieu of providing a copy of the standards to the beneficiary.

The products and/or services provided to you by (supplier legal business name or DBA) are subject to the supplier standards contained in the Federal regulations shown at 42 Code of Federal Regulations Section 424.57(c). These standards concern business professional and operational matters (e.g., honoring warranties and hours of operation). The full text of these standards can be obtained at http://www.ecfr.gov. Select Title 42: Public Health in the drop down box. Then browse Parts 414–429, Part 424, Subpart 424.57(c).

Upon request we will furnish you a written copy of the standards.

Important Notice for Medicare Beneficiaries

Help ensure your positive airway pressure (PAP) or bi-level positive airway pressure device is covered by Medicare. For information, visit Apria.com/Medicare-PAP-Letter.

Interpretation Service Available

English translation: Point to your language. An interpreter will be called. The interpreter is provided at no cost to you.

Arabic عربي	Korean 한국어 📆
أشر إلى لغتك. وسوف يتم جلب مترجم فوري لك. سيتم تأمين المترجم الفوري مجانا.	귀하께서 사용하는 언어를 지적하시면 해당 언어 통역 서비스를 무료로 제공해 드립니다.
Armenian Յայերեն 🔊	Laotian ພາສາລາວ 🐒
8ոյց տուէք ո՞ր մէկ լեզուն կը խօսիք՝ Թարգմանիչ մը կանչել կը տանք. Թարգմանիչը կը տրամադրուի անվճար.	ຊີ້ບອກພາສາທີ່ເຈົ້າເວົ້າໄດ້. ພວກເຮົາຈະຕິດຕໍ່ນາຍພາສາໃຫ້. ທ່ານບໍ່ຕ້ອງເສຍເງິນຄ່າແປໃຫ້ແກ່ນາຍແປພາສາ.
Cantonese 廣東話 愛	Mandarin 國語 3
請指認您的語言, 以便為您提供免費的傳譯服務。	請指認您的語言, 以便為您提供免費的口譯服務。
French Français 🖘	Polish Polski 📆
Pointez vers votre langue et on appellera un interprète qui vous sera fourni gratuitement.	Proszę wskazać swój język i wezwiemy tłumacza. Tłumacza zapewnimy bezpłatnie.
German Deutsch	Portuguese Português 🖘
Zeigen Sie auf Ihre Sprache. Ein Dolmetscher wird gerufen. Der Dolmetscher ist für Sie kostenlos.	Indique o seu idioma. Um intérprete será chamado. A interpretação é fornecida sem qualquer custo para você
Hindi हिंदी 🐒	Russian Русский 🚱 🛮
अपनी भाषा पर इंग्ति करें और एक दुभाषिया बुलाया जाएगा। दुभाषिये का प्रबन्ध आप पर बिना किसी खर्च के किया जाता है।	Укажите язык, на котором вы говорите. Вам вызовут переводчика. Услуги переводчика предоставляются бесплатно
Hmoob 📆	Spanish Español Signatura
Taw rau koj hom lus. Yuav hu rau ib tug neeg txhais lus. Yuav muaj neeg txhais lus yam uas koj tsis tau them dab tsi.	Señale su idioma y llamaremos a un intérprete. El servicio es gratuito.
Italian Italiano 😭	Tagalog Tagalog
Puntare sulla propria lingua. Un interprete sarà chiamato. Il servizio è gratuito.	Ituro po ang inyong wika. Isang tagasalin ang ipagkakaloob nang libre sa inyo.
Japanese 日本語 😪	Thai ใทย 📆
あなたの話す言語を指して下さい。 無料で通訳を提供します。	ช่วยชี้ที่ภาษาที่ท่านพูด แล้วเราจะจัดหาล่ามให้ท่าน การใช้ล่ามไม่ต้องเสียค่าใช้จ่าย
Khmer (Cambodian) ខ្មែរ (កម្ពុជា) 📶 សូមចង្អុលភាសាអ្នក។ យើងនឹងហៅអ្នកបកប្រែភាសាមកជូន។ អ្នកបកប្រែភាសានឹងជួយអ្នកដោយមិនគិតថ្លៃ។	Vietnamese Tiếng Việt III Hãy chỉ vào ngôn ngữ của quý vị. Một thông dịch viên sẽ được gọi đến, quý vị sẽ không phải trả tiền cho thông dịch viên.

FOR PATIENTS RESIDING IN FLORIDA

The Florida Healthcare Administration requires patients be provided the following information:

- To report a complaint regarding the services you have received, please contact the Florida Healthcare Administration Home Health Care Hotline by calling 888.419.3456.
- To report abuse, neglect, or exploitation, please call 800.962.2873.
- To report suspected Medicaid fraud, please call 888.419.3456.

FOR PATIENTS RESIDING IN MARYLAND

The Maryland Department of Health and Mental Hygiene requires patients be provided the following information:

- Apria is licensed as a residential service agency by the Maryland Department of Health, Office of Health Care Quality. License No: R1114R.
- To report a complaint regarding the services you have received, please contact the Maryland Department of Health Hotline by calling 410.402.8001.
- To report suspected abuse of children or vulnerable adults, call 800.917.7383.

FOR PATIENTS RESIDING IN NORTH CAROLINA

The North Carolina Division of Health Service Regulation requires patients be provided the following information:

 To report a complaint regarding the services you have received, please contact the Division of Health Service Regulation Complaint Hotline by calling 800.624.3004 (toll free within North Carolina) or 919.855.4500.

FOR PATIENTS RESIDING IN WASHINGTON

The Washington State Department of Health requires patients to be provided the following information:

- To report a complaint regarding the services you have received, please contact the Washington State Department of Health Complaint Hotline by calling 360.236.2620 or by visiting its website at www.doh.wa.gov.
- To access a list of licensed providers, visit the Washington State Department of Health website at www.doh.wa.gov.
- To report suspected abuse of children or vulnerable adults, call 866-END-HARM (866.363.4276).

If you have any questions or need help setting up your device and getting started, please call an Apria Sleep Coach.

877.265.2426

Apria is committed to safe, quality patient care. We encourage you to report any concerns to your local Apria branch. If your concern is not resolved, please contact the Patient Satisfaction team at: 800.260.8808

